

# Model ECSAP 35 Y



6" - 14 gauge spun aluminum ball  
gold anodized

Single sheave truck, cast  
aluminum revolving,  
non-fouling type

2 Bronze swivel snaps  
with covers per halyard

3 Sets of halyard: #10 poly

9'-6" Yardarm

3 - 9" Cast aluminum cleat

Aluminum flash collar

3000 PSI concrete

Hardwood wedges  
(supplied by others)

Dry sand tightly tamped  
after aligning pole

Foundation sleeve -16 ga  
hot dip galvanized steel

Steel centering wedges

1/4" Steel base plate

1/4" Steel support plate  
welded to grounding  
spike

### Yardarm Dimensions

Top diameter: 2"  
Center diameter: 3-1/2"  
Tapered length, ends: 9'6"  
Straight section: 6"  
Wall thickness: .125"

### Truck Detail

Aluminum body  
Stainless steel ball bearings  
Aluminum sheave  
Cast aluminum spindle

Project:	Regal Flag	Ground set tapered aluminum flagpole: ALLOY: 6063T6	EDER FLAG	Date:
Location:		Exposed height: 35'-0"	Overall height: 38'-6"	MANUFACTURING COMPANY
Architect:		Ship in 1 section	Butt diameter: 5"	1000 W. Rawson Avenue
Contractor:		Top diameter: 3"	Wall thickness: .188"	Oak Creek, WI 53154
Customer:		Finish: 100 grit polish		Job: